Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

•		

Highlands Nursery 3,800 feet elevation Pineola, North Carolina

Harlan P. Kelsey Hardy Native American Plants Salem, Mass.

Boxford Nursery Specimen Evergreens Boxford, Massachusetts

Boxford, Massachuse
BRAT
RECEIVED
MAS 2 4 1020

Address all correspondence to Salem, Mass.

SUBJECTION OF THE

March 15, 1920.

(A) Few Uncommon Specialties of Interest to Landscape Architects and Others AT BOXFORD NURSERY

				01.2	· IOALDE							
	osa lucida alba	-	-	-	-	$1\frac{1}{2}$ -2 ft. at	\$.65	each				
500 '		-	-	-	_	6-12 in. at	.50	6.6				
250 R	ose spinosissima	1 -	-	_	-	18-24 in at	.65	6 -				
250 '		_	_	_	_	24-30 in. at		"				
100 Vi	burnum siebold	li -	_	_	_	2-3 ft. at		4.6				
100	"	-	_	_	_	3-4 ft. at		4 •				
100	"	_	_	_	_	4-5 ft. at		"				
500 Pi	nus mughus	_	_	_	_	1-112 ft. spread at						
500	"	_	_	_		$1\frac{1}{2}$ -2 ft. spread at						
500	"	_			_	2-3 ft. spread at		4.4				
300		American	Azələ	e for	- Immadis		. 4.73					
American Azaleas for Immediate Effect AZALEA ARBORESCENS, Fragrant White Azalea.												
Splendi	d heavy clumps	s, 25 to 100	stems,	mass of	flower b	uds 2-3 ft. clumps at						
					••	" 3-4 ft. clumps at	6.40					
	ZALEA LUT	-	Flame 1	Azalea.								
Fine cl	umps heavily b	udded	-	-	-	2-3 ft. clumps at	2.80					
			-	-	-	3-4 ft. clumps at	4.80	6.6				
Α′.	ZALEA VASI	IVI										
111	DITIDLE VIIO	LII										
	shy specimens,		dded		2-3 ft. bu	ishy, several stems at	3.20	"				
			dded			= *						
Fine bu	shy specimens,	heavily bu			3 - 4 ft. bı	ishy, several stems at						
Fine bu	ishy specimens,	heavily bu				ishy, several stems at	4.80					
Fine bu	shy specimens,	heavily bu			3 - 4 ft. bı	ishy, several stems at ERY 3-4 ft. at	4.80	"				
700 O: 400	shy specimens, xydendrum arb	heavily but '' AT Horeum			3 - 4 ft. bı	ishy, several stems at ERY 3-4 ft. at 4-5 ft. at	4.80 30 4.40					
700 O: 400 200	nshy specimens,	AT H			3 - 4 ft. bı	ishy, several stems at ERY 3-4 ft. at 4-5 ft. at 5-6 ft. at	4.80 30 40 60					
700 Or 400 200 50	xydendrum arb	AT H			3 - 4 ft. bı	ishy, several stems at ERY 3-4 ft. at 4-5 ft. at 5-6 ft. at 6-7 ft. at	4.80 30 40 60 80					
700 O 400 200 50 200 Vii	ashy specimens,	AT H			3 - 4 ft. bı	1shy, several stems at ERY 3-4 ft. at 4-5 ft. at 6-7 ft. at 4-6 ft. at	4.80 30 40 60 80 60					
700 O: 400 200 50 200 Vil 200	xydendrum arb	AT Horeum			3 - 4 ft. bı	ishy, several stems at ERY 3-4 ft. at 4-5 ft. at 5-6 ft. at 6-7 ft. at	4.80 30 40 60 80 60					
700 O: 400 200 50 200 Vil 200	xydendrum arb	AT Horeum			3 - 4 ft. bı	1shy, several stems at ERY 3-4 ft. at 4-5 ft. at 6-7 ft. at 4-6 ft. at	4.80 30 40 60 80 60 1.00					
700 O: 400 200 50 200 Vii 200 250 Vii	xydendrum arb	AT Horeum			3 - 4 ft. bı	18hy, several stems at ERY 3-4 ft. at 4-5 ft. at 6-7 ft. at 4-6 ft. at 6-8 ft. at 6-8 ft. at	4.80 30 40 60 80 60 1.00 35					
700 O: 400 200 50 200 Vii 200 250 Vii	xydendrum arb	AT Horeum			3 - 4 ft. bı	1. 1. 2. ft. at 6-8 ft. at 6-2 ft. at 6-2 ft. at 6-2 ft. at 6-3 ft. at 6-5 ft. at 6-7 ft. at 6-7 ft. at 6-8 ft	. 4.80 30 40 60 80 60 35 35					
700 O: 400 200 50 200 Vii 200 250 Vi 4000 Z 3000	xydendrum arb '' '' burnum cassino '' burnum alnifol anthorhiza apii	AT Horeum '' ides ium folia		ANDS	3-4 ft. bu NURS	1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	. 4.80 30 40 60 80 60 . 1.00 35 05 08					
700 O: 400 200 50 200 Vii 200 250 Vi 4000 Z 3000 Rho	xydendrum arb '' '' burnum cassino '' burnum alnifol anthorhiza apii	AT Horeum '' ides ium folia		ANDS	3-4 ft. bu NURS	1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	: 4.80 : .30 : .40 : .60 : .80 : .60 : 1.00 : .35 : .05 .08					
700 O: 400 200 50 200 Vii 200 250 Vi 4000 Z 3000 Rho 200	xydendrum arb '' '' burnum cassino '' burnum alnifol anthorhiza apii	AT Horeum '' ides ium folia		ANDS	3-4 ft. bu NURS	3-4 ft. at 4-5 ft. at 5-6 ft. at 6-7 ft. at 6-8 ft. at 6-12 in. at 6-12 in. clumps at 1-1\frac{1}{2} ft. clumps at 1-1\frac{1}{2} ft. clumps at	: 4.80 : .30 : .40 : .60 : .80 : .60 : 1.00 : .35 : .05 .08 Budde : 1.10	 				
700 O: 400 200 50 200 Vii 200 250 Vi 4000 Z 3000 Rho 200 250	xydendrum arb '' '' burnum cassino '' burnum alnifol anthorhiza apii	AT Horeum '' ides ium folia		ANDS	3-4 ft. bu NURS	3-4 ft. at 4-5 ft. at 5-6 ft. at 6-7 ft. at 6-8 ft. at 6-12 in. at 6-12 in. clumps at 1½-2 ft. clumps at 1½-2 ft. clumps at 1½-2 ft. clumps at	: 4.80 : .30 : .40 : .60 : .80 : .100 : .35 : .05 .08 Budde : 1.10 : 1.60	 				
700 O: 400 200 50 200 Vii 200 250 Vi 4000 Z 3000 Rho 200	xydendrum arb '' '' burnum cassino '' burnum alnifol anthorhiza apii	AT Horeum '' ides ium folia		ANDS	3-4 ft. bu NURS	3-4 ft. at 4-5 ft. at 5-6 ft. at 6-7 ft. at 6-8 ft. at 6-12 in. at 6-12 in. clumps at 1-1\frac{1}{2} ft. clumps at 1-1\frac{1}{2} ft. clumps at	: 4.80 : .30 : .40 : .60 : .80 : .35 : .05 : .08 Budde : 1.10 : 1.60 : 2.50					

2000 Rhododendron maximum, clumps, Nursery grown, (ask for prices).

Not less than 10 plants of a kind or size at above prices.

All the above are transplanted nursery grown stock. Stock balled and burlapped at 8 to 20 cents each according to size. Rhododendrons can best be sent in car lots. Your orders should be placed at once, as stock is becoming scarcer daily.

Yours truly,

HARLAN P. KELSEY.

. 2 • •